

storing relationships coefficients representing degrees of relationships between particular members who agree to establish human relationships therebetween,

and relationships coefficients of members who are related to the members who agree to establish human relationships.

5 7. The method of claim 6, wherein the agreement between the members is confirmed by exchanging e-mails.

8. The method of claim 6 or 7, further comprising:

creating human relationships data on the basis of stored personal data and relationships coefficients in response to members' requests and providing the created data to
10 the members.

9. A server for registering human relationships, comprising:

a section for receiving personal data of new members;

a section for confirming the received personal data by referring them back to existing members;

15 and a section for storing the confirmed data in correlation with the existing members.

10. The server of claim 9, wherein the storing section stores relationships coefficients representing degrees of relationships between particular members who agree to establish human relationships,

and relationships coefficients of members who are related to the members who agree
20 to establish human relationships.

11. The server of claim 10, wherein the agreement between the members is confirmed by exchanging e-mails.

12. The server of claim 10 or 11, wherein human relationships data are created on the basis of stored personal data and relationships coefficients between members in response to

members' requests, and the created data are provided to the members.

13. A human relationships registering program used by a server defined in any one of claims 9 to 12, the server being a computer.

5 14. A recording medium for storing the human relationships registering program defined in claim 13, and being readable by a computer.